



We are leading company in INDIA for the manufacturing, exporting and supplying of Quality Veterinary Products for better health, growth, reproduction of livestocks. We are considered as one of the leading Animal Feed Supplements and Veterinary Products Manufacturer.

In **Cattle**, **Poultry**, **Pet & Aqua** Feed Supplements field we have started with a small unit of just 6 to 7 veterinary products. Now a days with positive response from our valuable customers and their faith in our quality products, we are now dealing with huge no. of **cattle**, **poultry**, **Pet & Aqua** feed supplement products.



Our overall vision of "Vandana Biotech" is becoming a competitive, progressive company delivering quality products in our customer. Competitiveness is the ability for a company to generate greater business and retain more customers.



In "Vandana Biotech" our mission is to improve Animals Health and create a better life for them. To become the first choice of Customers in Treatment, Productivity, Prevention & Diagnostic field of animal health industry, through Innovative Solution & Quality Services.



Throughout the years, "Vandana Biotech" has stood by a set of values that affect the way we work. We are a team. with good internal collaboration. We provide excellent services and fast response to our customers.


Diversity: Home has different definition to everyone, so we keep focus on worldwide trend and give our clients most suitable suggestions.

Standard: We see our customers not just a one time trade partner, but each of them are as a life long business associates. That's why we have our strict quality control on our products.

Livan-P

Liquid

Liver Tonic Tricholine citrate enriched with Essential Herbs



The liver is one of the largest and most sensitive organs, particularly in layers. It receives a major part of intestinal blood and acts to regulate blood glucose levels. Its primary functions are metabolic: maintenance of homeostasis, glucose, and lipid energy. It is a place of storage of nutrients and it synthesizes plasma proteins.

The liver also favors the body's creation of complex molecules (carbohydrates, proteins, glycoproteins) by precursors. There are other molecules that are created in the liver, such as cholesterol; cholesterol is involved in the digestion of fats or steroid hormones that govern reproduction. The liver ensures detoxification and excretion of endogenous and exogenous waste. It neutralizes toxic elements from the metabolism (bilirubin, ammonia, ketones) then transforms them into recycled nutrients and expels them via feces or urine. If the detoxification process does not function properly, toxic substances will accumulate in the liver; this build-up can hamper the various metabolic activities of hepatocytes.

Composition: Each 10 ml contains 1000 mg Tricholine Citrate (60%) Silybum marianum 900 mg 000 mg Andrographis paniculata1 Ocimum sanctum 1500 mg Solanum nigrum 1000 mg Choline Chloride 300 mg Protein Hydrolysate (55%) 100 mg Liver Extract 500 mg Yeast 25 mg Methionine 30 mg Inositol 30 mg 125 mg Vitamin B1 Vitamin B2 200 ma **Biotin** 50 mg Vitamin C 50 mg Vitamin B6 2 mg Vitamin B12 25 mg Manganese 8 mg 5 mg Zinc Niacinamide 200 mg

Base fortified with predigested protein & amino nitrogen

Usage Instructions : Each 100 birds

Chicks : 5-10 ml.
Broilers & Growers : 15-20 ml.
Layer : 25 ml.
or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation:


1litre, 5 litre, 20 litre & 30 litre

Highly effective in nature

Reaction free

Accurate formulation

Fatty Liver Disease





INDICATIONS:

Hepatic Dysfunction, Low appetite, Hepatitis, Jaundice, Anemia, Cirrhosis, of Liver, Fatty Liver Syndrome, Anorexia due to sluggish Liver, Supportive therapy in antibiotic and antiparasitic drug therapy.

ADVANTAGES:

- As a hepatoprotective in drug toxicity, aflatoxicosis and poisoning.
- As a metabolic stimulant in inefficient feed conversion debility and convalescence.
- Enhances and activates the liver metabolism.
- · Promotes growth & weight gain.

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care : +91 7310 605 527 9675 363 838



GROVAN

Growth booster for cattle and poultry promotes healthy overall growth and immunity

Composition:

Each 1000 ml contains:

DI methonine 127 gm. Choline chloride 63.125 gm. L-Ivsine 63.125 gm. Sodium 459 mg. Phosphorus 154.16 mg. Magnesium 215.7 mg. Ferrous 223.4 mg. Copper 158.5 mg. Cobalt 206.25 mg. Manganese 384.55 mg.

Usage Instructions: Each 100 birds

Chicks : 5-10 ml. Broilers & Growers: 15-20 ml. Laver : 25 ml. or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature

Reaction free

Accurate formulation

Grovan is the best growth booster that improves growth and development in cattle and poultry. Providing Grovan supplement daily to cattle helps in increasing weight gain. It is great for increasing milk production. When the immune system is fully functional, it can easily fight common infections like mastitis. It helps heifers reach early puberty and supports the animal throughout the pregnancy.

During the high lactation period, Grovan helps to increase milk production. It also helps in improving the immunity of young calves. Post-birth period introduces lots of stress to the cows, and Grovan can help alleviate these stress factors.

For poultry, Grovan benefits farmers by promoting weight gain. Broilers can gain fat and weight quickly while being disease resistant. It increases egg production in layers. Breeders also enjoy the benefits as the Grovan supplement improves reproductive ability and hatchability.



- Overcomes heat stress and other types of stress
- Reduces mastitis incidents
- Boosts recovery from infections
- B&T lymphocytes and macrophages boost the immune system
- Increases quality and size of eggs
- Increases milk production in cows
- Increases fertility and hatchability of female breeders

For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



Witawam-C

Liquid

Liquid feed Concentrate for improves disease resistance and promotes overall growth.

VITVAN-C is an organic vitamin B complex for poultry and cattle that greatly helps in reducing FCR. When the birds gain sufficient weight and leave the enclosed house without diseases, it increases profitability for farmers.

Heatstroke and stress are common problems for cattle because they are often exposed to extreme weather conditions. Continuous exposure of cattle to stress conditions results in anemia and general weakness. VITVAN-C has essential vitamin C and B complex that prevents problems associated with stress and heat stroke.

VITVAN-C also increases weight gain in broiler chickens. It strengthens poultry birds, resulting in increased egg production. By boosting the immune system, it greatly helps in reducing early chick mortality. The liquid organic supplement can be easily mixed in with the feed. It supports quick and fast recovery from various infections. By boosting feed intake and absorption of nutrition, it helps in reducing overall feeding costs.

Antioxidant

capacity

Oxidative

stress

Impairment of intestinal

integrity and barrier

function

Body temperature

Egg production

Immunity

Mortality

Generati

on of ROS

Composition:

Each ml. nutritional value:

20,000 LU. Vitamin A Vitamin D3 8.000 I.U. Vitamin E 48 ma. Vitamin B12 20 mcg. Vitamin H 30 mcg. Vitamin C 250 mcg. 7inc 18 ma. Cobalt 250 mca. Organic nutritive base q.s.

Usage:

Chicks: 5 ml. 100 Birds Daily Growers: 7 ml. 100 Birds Daily Lavers : 10 ml. 100 Birds Daily

Feeding Directions:

Poultry:

As recommended by the veterinarian Appropriate over dosage added to compensate loses on storage

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Advantages:

Heat stress

Respiration rate

Corticosterone

ed intake

Nutrient metabolism

Growth

performance

- Helps treat anaemia, muscle weakness
- Helps prevent diarrhoea, heatstroke, and stress
- Improves FCR
- Promotes weight gain
- Improves egg production in layers
- Protects birds from CRD and salmonella infection
- Prevents early chick mortality
- Enhancing immune response
- Improves performance
- Provide balance energy

Highly effective in nature

Reaction free

Accurate formulation

For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com Customer care: +91 7310 605 527 9675 363 838



Manufactured By :



Selvan-E

Liquic

Liquid Feed Supplement
Vitamin E Fortified With Selenium

Selenium deficiency in newborn calves leads to white muscle diseases and retains the placenta in newly calved cows. Vitamin E and Selenium play a major role in the treatment of mastitis as deficiency of any one of them may lend to increased incidence of mastitis. Prepartum immune suppression is mainly due to endocrine changes and due to feed intake of improper nutrients. Vit E is fat solvent vitamin not synthesized in rumen however it is essential for dairy cattle as well as calves.

Vit E is required for the control of nerves, muscles, heart, rumen, lungs. Male fertilizing as sperm motility also associated with SE and selenium deficiency leads to decreased conception rate in females cows. With the maintained level of blood selenium in cattle there are lesser chances of abortion

${\bf Composition:}$

Each 100 ml. Contains:

Vitamin E 10 gm Selenium 200 ppm Inert carrier qs



Chicks: 1 ml. in 2lt of drinking water Broilers: 1 ml. in 1lt of drinking water Layers: 1 ml. in 2lt of drinking water

Or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use


Presentation: 1litre & 5 litre

Highly effective in nature

Reaction free

Accurate formulation





Advantages:


- Reduce Leg Weakness in Broilers
- To Overcome Stress in Poultry Birds
- Improves Milk Quality & Prevent White Muscle Disease in Cattle
- For proper growth, shape & size
- Restore strength, vigor & vitality
- · Enhances body resistance & immunity

For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



Manufactured By:



The major purpose of using this acidifier is to improve growth performance and better the profitability in poultry production. Organic acids have multi usages in poultry feeds as they help in preservation to control microbial growth, reduction of the feed buffer capacity, inhibition of pathogenic bacteria and betterment of nutrient digestibility.


The performance of poultry is enhanced by the addition of organic acids in diet as these organic acids decrease the pathogenic bacteria from feed. Most commonly the bacteria that affect the gut health of poultry include Salmonella, Clostridia, Entrococcus, Campylobacter and Escherichia coli.

Water Cola as a feed supplement in poultry has a beneficial effect on the overall performance of the broiler a well as layer birds. The effect of an individual organic acid is variable and depends upon several factors. Similarly different pathogenic bacteria respond variably to various organic acids.

Each 100 ml. Contains:

Lactic acid Citric acid 15 gm. Formic acid 10 gm. Phosphoric acid 02 gm. Tarteric acid 15 gm. Buffered agua base g. s. 100 ml







effect



Usage:

For drinking water: Broiler, Breeder & Layer: 0.2 ml / litre of water Or as directed by the veterinarian (Usage depends on water pH

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

ADVANTAGES:

- Reducing pathogen load
- Sanitize Drinking Water
- Remove Dirt & Keep Water Clean
- Maintenance of internal PH
- Regulation of metabolic functions
- Improving FCR index & growth



Highly effective in nature

Reaction free

Accurate formulation

For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com Customer care: +91 7310 605 527 9675 363 838





An essential blend of oils to maintain respiratory functions

RESPILYF is the best supportive therapy in Respiratory disease of any origin as it favors soothing of the respiratory tract and faster recovery.

RESPILYF mainly composed of Herbal extracts for soothing and of Natural essential Oils like Eucalyptus Oil, Thyme Oil, Menthol Oil along Cinnamomum which is cost-effective and highly useful in Respiratory problem in birds.

Eucalyptus Oil has Anti-inflammatory, Antibacterial, Antiviral, Anti fungal properties, Cinnamomum and Thyme oil has Immunomodulator effects. Menthol Oil has Antiseptic, Spasmolytic, Disinfectant action especially in broiler.

Composition:

Each 100 ml contains

Thyme oil	25 %
Mint oil	20 %
Camphor	02 %
Menthol	10 %
Sorbitol	6 %
Eucalyptis	2 %
Sage	2 %
Ocimum sanctum	8 %
Adhatoda Vashika (Vasicine)	5 %

Usage:

10 ml / 1000 birds twice daily in drinking water Twice daily usage is recommended eg. early in the morning before 8 AM. & late in the evening after 7-30 PM. For quick and easy administration birds can be kept thirsty for 20 minutes.

Or as directed by the veterinarian.

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation:

250 ml., 500 ml. & 1litre

Highly effective in nature

Reaction free

Accurate formulation





Advantages:

- To prevent and tear respiratory symptoms during outbreak of CRD coryza & other respiratory diseases
- To prevent & treat sneezing, coughing and labored breathing in infections/nonifectious causes.
- To overcome post vaccination reaction e.g. live NDV vaccination.
- Prevent reduction in growth rate.
- Reduction in use of antibiotic.

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



Manufactured By:


Benza Guard

_iquid

Anti Viral, Anti Bacterial and Anti Fungal

The invention belongs to the field of medical sterilization and particularly relates to a benzalkonium chloride solution and a preparation method thereof. The benzalkonium chloride solution has the advantages of no irritation, resistance to organic matter interference, high disinfection performance and capabilities of promoting wound healing and scar fading and is applicable to cleaning and disinfection of the skin, wound mucous membranes and operative sites.


The infection problems such as wound, the surface of a wound and operative site be easily caused in surgical procedure and Post operation related complication send out Raw, or even jeopardize patient vitals. Therefore, preoperative from efficient, safe and stable Medical antiseptic solution, mucous membrane It is carried out sterilizing with wound site, removes bacterium and fungi of skin surface etc.



Composition:

Benzalkonium chloride solution 12% v/v
Citric acid 8% w/v
Acetic acid 2% v/v
Inter ingredients q.s.

Туре	Dilution	Method
 Shed with birds 	8-10 ml./lt. of water	Spray
 Empty Shed 	15-20 ml./lt. of water	Spray
 For drinking water 	2 ml/20 lt.	Add to water tank
sanitation	of drinking water	or drinking pot
Hatchery use	10ml. / lt. of water	Spray of hatching eggs, foam hop
 Wetting agent in 	1 lt. W-950 /	Spray or allow prepared
shed wash down.	250 lt. of water	solution to remain in pipelines



Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 500 ml.,1litre & 5 litre



Disinfectant for

- · Virucidal, Bactericidal, Fungulcidal, Algicidal
- · Disinfects, Descales, removes Algae
- Effective as water sanitizer and Acidifier For use in :
- · Poultry, Swine,
- . Dairy and Canine operation.



Reaction free

Accurate formulation

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



VB-PLEX

Liquid

Amino Acids & Vitamins **Oral Liquid Feed Supplement** For Poultry

Composition:

Nutritional value per 5 ml. vitamin B1 7 mg. 22.5 mg. vitamin B Vitamin B6 1 mg. Vitamin B12 12.5 ma. Biotin 25 mcg. Calcium Pantothenate 2.5 mg. Niacinamide 75 mg. Choline Chloride 10 mg. Methionine 10 mg. Lysine 20 mg.

Usage:

Poultry: for 100 birds Chicks

Growers & Broilers

Layers

Cattle, Buffalo & Horse

Calf, Foal, Sheep,

Goat & Pig

Dog

: 5-6 ml. Daily : 8-10 ml. Daily

: 10-15 ml. Daily : 30-50 ml.

: 10-20 ml.

: 5-10 ml.

Direction for use:

To be given daily as such or through drinking water

Or as directed by the veterian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature

Reaction free

Accurate formulation



Decreased mortality rate

Improved fibrous content

Increased breast thigh & body weight

> Retter feed conversion ratios

> > Immune response boosted

> > > Healthier and stronger generations

Longer life of production Enhanced hatch rate Molting deterrent Earlier feathering Improved egg shell quality Fewer eaa shell cracks

farmers because too many supplements will increase feeding costs. The cost of cattle feed continues to increase, and farmers find it hard to reduce feeding costs.For early chick mortality is one of the biggest challenges because broiler chickens are often raised in enclosed houses without proper climate control. The quality of birds and eggs continues to

Vitamins are necessary micronutrients that are not generated naturally. These vitamins must be available in the feed for cattle and poultry for

healthy growth. Apart from growth, essential vitamins promote the optimal immune system and boost reproduction and lactation. Finding reliable and cheap vitamin sources is always a struggle for

Maintaining a hygienic and temperature-controlled environment is crucial for both cattle and poultry. The feed offered must be supplemented adequately to ensure that birds grow rapidly.

decline as new diseases threaten chicken health.

Advantages:

- Improves egg output in layers
- Improves egg shell quality
- Improves growth rate
- Prevents anorexia & constipation
- Prevents fat deposition on liver
- Improves metabolism
- Anti stress

For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838





Manufactured By:

Goutvin

Liquid

Maintains healthy functional renal mass & Gout in Birds

Composition:

Each 10 ml. contains:

Sodium H. Carbonate 1.5 gm Ammonium Chloride 1.0 gm Sodium Citrate 1.2 gm Ascorbic acid 0.15 gm

Buffer & Stablizersers qs

Usage Instructions : Each 100 birds

Chicks : 5-10 ml.
Broilers & Growers : 15-20 ml.
Layer : 25 ml.
or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature

Reaction free

Accurate formulation

Nephoclin is a very effective tonic for poultry that controls various metabolic disorders. The first step to the prevention of gout is to regulate uric acid secretion. **Nephoclin** helps in water retention so that excess uric acid is not secreted by your chickens.

Nephoclin strengthens the kidneys by helping with metabolic waste excretion. It also removes the crystallization of uric acid in joints, ligaments, and tendon sheaths. It is sufficient to use for urinary tract infection, ascites, and gout in the birds. As it is herbal medicine, it doesn't have any harmful side effects. The supplementary feed can be given when problematic symptoms are noted. It is helps in water retention so that excess uric acid is not secreted by your chickens. It also helps in dissolving urates crystals so that excretion doesn't create a problem. It is preventing excessive fluid buildup in the body, it promotes the health of the kidneys.



Advantages:

- . Unique remedy against Ascites, Gout, and Gumboro
- Improves renal system
- · Prevents uric acid over secretion problems
- · Removes waste products from the body effectively
- Maintains healthy functional renal mass.
- Minimizes incidence of Gout in birds.

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com Customer care : +91 7310 605 527 9675 363 838



Manufactured By :

Coryvin

Liquid

Ultimate Remedy for CRD & E.Coli

Major Phytoconstituents:

Adhatoda vasica	650 mg
Solanum indicum	650 mg
Zingiber officinalis	350 mg
Piper longum	150 mg
Cardia dicholera	600 mg
Hedychium spicatum	400 mg
Terminalia belirica	650 mg
Cinnamomum camphora	150 mg
Achyranthes aspara	650 mg
Eucalytus globus	400 mg
Mentha pipera	150 mg

Usage Instructions : Each 100 birds

Chicks : 5-10 ml.
Broilers & Growers : 15-20 ml.
Layer : 25 ml.
or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature


Reaction free

Accurate formulation

Distorted eggshells due to E.coli



Swollen face due to CRD



CRD (Chronic Respiratory Disease) in poultry has some common symptoms such as wheezy breath and face swelling among others. This is a typical disease in poultry in transition seasons, occurs in all ages. Chickens between 3-6weeks of age and laying hens are more susceptible than other group ages.

In case of stress condition as transportation, heat, humidity, high stock density, etc poultry birds are more prone to pathogens as Mycoplasma, Herpes virus, etc These all leads to Respiratory problem. Some other as fungal infection as Aspergillus leads to Inflammation of lungs, Air sacs, etc. Bacterial infections as Pasturella leads to Pneumonia.

CRD is Chronic Respiratory Disease is seen in backyard fowls leading to Snuffing, Sneezing, Coughing, etc. **CORIVIN** is the best supportive therapy in Respiratory disease of any origin as it favors soothing of the respiratory tract and faster recovery.

Difficulty in breathing



Oral and nasal discharge





Indications & Benefits:

- For prevention and treatment of Chronic Respiratory Disease (CRD) and associated symptoms viz cough, sneezing, nasal discharge, tracheal rates, gasping, unthriftiness etc.
- Highly effective for the treatment of E.Coli, Coryza, Mycoplasma, Gallisepticum, Salmonella, Wing Rot, Fowl Cholera, White Diarrhoea etc.
- Helps to Cure Cough, Cold and Respiratory Ailments
- Reduces Risk of Stress and Pain
- Facilities Easy Breathing during Changing Weather

9675 363 838

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com Customer care : +91 7310 605 527



VB-LIV

Powde

A Natural way to keep Liver healthy, Increase weight, Improve FCR, Better growth Enhance productivity and Reduce mortality

Composition:

Silybium marianum 20 %
Andrographis paniculata 25 % *Glycine max* 15 %
Azadirachata indica 20 %
Helianthus annuus 20 %

Feeding Ratio:

1 Kg per ton of feed can replace 1 Kg of L-Lysine.

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1kg, 5 kg & 25 kg

Highly effective in nature

Reaction free

Accurate formulation

The liver has several functions in digestion, metabolism, and absorption. It is also an important immune organ. Here we would like to discuss about the functions of the liver and the importance of the liver in production.

The liver plays a key role as the center for a number of metabolic and productive activities. Metabolism of chemicals, carbohydrates, absorption of proteins, digestion of fats. The catabolism of excess amino acids, the formation of uric acid from ammonia, and the formation of albumin are also a major event that occurs in the liver.

It acts as a filter that processes and removes toxins from wastes produced by your own metabolism, toxins, and harmful chemicals from the environment. Almost all chemicals, including toxin components in feed and chemical compounds in medicine, are also metabolised and detoxified by the liver.

Farm management (Hygiene, humidity, temperature etc.)

Age, Sex & species

Duration of exposure

Nutrional and health status

Other toxic entities

Nature and level of mycotoxin concentration

Indications:

- Fatty liver syndrome
- Liver enlargement
- Low protein synthesis
- · Cholecystitis & cholangitis
- Drug induced hepatotoxicity



For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



Manufactured By:

Immuvin

Promotes higher production **Enriched Vit E, Se & Polysaccharides**

Contents:

Vitamin F Selenium L-Glutamine Tryptophan analogs Amino nitrogen Emblica officinalis, Ocimum Sanctum Polysaccharides with fortified base.

Usage:

Each100 birds

Chicks : 5-10 ml. Broiler :20 ml./100 birds :25 ml./100 birds Layer

Or as directed by the veterinarian.

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature


Reaction free

Accurate formulation

The demand for poultry products continues to rise due to increased human consumption. The poultry farmers have to focus on disease control, increased production, higher product quality. The continuous changes in the environmental conditions pose additional challenges to the growth of the birds. Especially during the COVID 19 pandemic, farmers have to take extra safety measures to protect the birds.

Immuvin is the best product for boosting immunity in poultry. It contains multiple herbal extracts that aid in the proper development of the birds. In highdensity broilers, the best way to control diseases is to prevent the spreading of diseases.

The most common disease infectious bursal disease (IBD) which causes gumboro in young chickens can be effectively prevented by supplementing the feed regularly with Immuvin. When birds start showing drowsiness, lameness, white chalky diarrhea, and reduced feed intake,



- Reduces incidences of metabolic stress.

For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



Manufactured By :

VITVAN-A

Liquic

Liquid Supplement of Vitamin A for Poultry Feeding

Each ml. has nutritional value of : Vitamin A 1,20,000 I.U. (As vitamin A palmitate) When the availability of green grass for grazing is less, cattle should be supplemented with an effective Vitamin A supplement. Vitvan A not only helps with health, but also improves reproduction. It encourages development of bones, teeth and nervous tissues. It helps in improving the lining of the digestive, respiratory and reproductive systems. When gut health is improved, it improves absorption of nutrients from cattle feed.

Major improvement in the reproductive nature of cattle can be noted after introducing Vitamin A supplement in the diet. Calves receive most of their Vitamin A by drinking colostrum from the mother cow. In adult cows, the availability of Vitamin A in the body must be evaluated before the calving stage. This will ensure that the calves don't abort and birthing of still born calves can also be avoided. It can be mixed with mineral mixes and commercial cattle feed products.

Vitamin A Deficiency



Poor growth



Poor feathering



Nasal and ocular discharge



Drowsiness



Pale comb and wattles



Eyelids stuck shut with thick exudate

Usage:

Poultry: Each 100 birds

Chick: 2 - 5 ml. / 100 daily Growers & Broilers :5 - 10 ml. daily Layers: 10 - 15 ml. / 100 daily Cattle & Large Animals : 10 - 20 daily

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Useful in :

- Controls vitamin A deficiency in stress conditions
- . Combats blind calving problems
- Improves growth, maintenance and regeneration of skin and muscle cells
- Improves bone formation
- Improves fertility
- · Stimulates antibodies and enhances immunity
- Improves FCR
- Increases egg production
- Functions as growth promoter for poultry
- · Prevents birthing of dead or weak calves

Highly effective in nature

Reaction free

Accurate formulation

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com Customer care : +91 7310 605 527

ner care : +91 7310 605 527 9675 363 838



Coccivin

Liquid

A herbal supplement for Prevents of Coccidiosis

Compositions:

Each 100 ml. contains: Punica granatum 100 mg. Aegle marmelos 150 mg. Trachyspermum ammi 100 mg. Tinospora cordifolia 100 mg. Cyperus rotundus 100 mg. Zingiber officinalis 100 mg. Berberis aristata 100 mg. Acacia catechu 80 mg. Holarrhena antidysentrica 80 mg. Calotropis procera 50 mg. Salmalia malabarica 40 mg. Aqua q.s.

Usage:

For Prevention:

30 ml. per 100 birds for 4-5 days

For Curative:

50 ml per 100 birds for 4-5 days

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 500 ml & 1 litre


Highly effective in nature

Reaction free

Accurate formulation

When the birds are always kept on wired floors away from their droppings, the occurrence of coccidiosis can be effectively contained. The vaccines don't offer complete protection against the infection. The best way to prevent and treat coccidiosis is to use anticoccidial drugs.

Coccivin tonic is the safest and most effective coccidiostat used in poultry farming. It effectively eliminates all strains of coccidian protozoa. It helps in eliminating the contaminants in the atmosphere. As a result, birds are not exposed to large volumes of sporulated oocysts, effectively preventing infections. It is the safest option for birds as it kills the protozoa without causing any problem for the birds. Coccivin is also compatible with different types of chemicals commonly used in poultry farming. These chemicals and antibiotics are not helpful in preventing coccidiosis, but the addition of Coccivin to regular feed makes the enclosed house much safer for the birds.



Benifits

- Prevents intestinal and caecal coccidiosis.
- Prevents secondary bacterial infection.
- Exhibit wide margin of safety.
- Allows the chicken to attain optimal growth and production.
- Prevents economic loss due to coccidiosis.



For Trade Enquiry Please Contact:
www.vandanabiotech.com
E-mail: info@vandanabiotech.com
vandanabiotech21@gmail.com
Customer care: +91 7310 605 527
9675 363 838

Vand An ISO D-6, Ind Saharar

Manufactured By : Vanpana Вютесн Рут. Ltp.

An ISO 9001:2015 & GMP Certified Co. D-6, Industrial Estate, Delhi Road, Saharanpur-247 001(INDIA)

Toxivin

Powde

Powerful Toxin Binder and Neutralizer For Effective Control of Mycotoxins

280 mg

250 mg

3.5 mg

Composition: Each 100 ml. contains:

Tricholine Citrate 600 mg 200 mg Phosphoric acid Vitamin B 80 mg mg Vitamin B2 5.00 mg Biotin (Vit H) 100 mg Nicotinamide 800 mg Calcium chloride 225 mg Protein Hydrolysate 200 mg Methionine 20 mg. Yeast Extract 100 mg. Mangnesium chloride 260 mg Cobalt 3.0 mg Copper 3.5 mg

Feeding Ratio:

Potesium iodide

Zinc

Iron

1 Kg per ton of feed can replace

Or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1kg., 5 kg., & 25 kg

Highly effective in nature

Reaction free

Accurate formulation


Mycotoxins have been detected in various food commodities from many parts of the world and are presently considered as one of the most dangerous contaminants of food and feed.

Adverse effects of mycotoxins on animal health and production have been observed in farm animals such as poultry as a consequence of the consumption of high levels of cereals and oilseeds in the diet.

Toxivin is a high quality modern tool in Mycotoxin management. It is not only a strong toxin binder but also a toxin destroyer. The specific properties of the product inactivate the mycotoxins in the stomach of the animal through which they are no longer harmful for the animal.

Toxivin causes a redox reaction which biotransforms the toxic structure of Mycotoxins. The result is a non-toxic metabolite which is harmless to the animals and can be easily excreted

Effects of Mycotoxine



Advantages:

- Multi fungal toxin binder
- Heat & vaccine stress inhibitor
- · Increases beneficial bacteria in the intestine
- · Removes harmful bacteria from the drinking water
- Does not bind vitamins, minerals and other nutrients.
- Protects from liver disorder.
- Stimulates the immune system.
- Increases feed consumption and feed efficiency.

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care : +91 7310 605 527 9675 363 838



Manufactured By:

VB Meth

Powder

Provide 100% Bioavailable Natural Methionine.... A methionine deficiency typically leads to poor feed conversion, retarded growth in meat birds, and reduced egg production in layers and breeders. Methionine is required to provide the building blocks for immune cells and tissues. This includes the nonspecific mechanisms such as the skin and mucosa, and the specific mechanisms that include T and B lymphocytes. This is particularly important for newly hatched chicks that are highly susceptible to infection during the first two weeks of life.

Methionine is a major component of feathers. Methionine and cysteine (another sulfur-containing amino acid that is not essential in the diet) are critical to feather formation. A deficiency of methionine results in poor feather growth and increased feather pecking. A methionine-deficient bird will tend to eat feathers in an attempt to obtain enough methionine. Feather pecking can quickly turn into cannibalistic behavior in a flock

Composition:

Each gm contains:	
Embelica officinalis	20 %
Glycine max	25 %
Allium sativum	10 %
Silybium marianum	12 %
Eclipta alba	15 %

USAGE & ADMINISTRATION:

500 gm - 1 kg VB Meth / M ton to be mixed in prepare feed

Or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use


Presentation: 1kg.,5 kg & 25 kg

Highly effective in nature

Reaction free

Accurate formulation

Methionine Deficiency Affects Liver and Kidney Health, Oxidative Stress, and Ileum Mucosal Immunity in Layers & Broilers



Advantages:

- Improve skeletal & Muscular growth
- Improve FCR & anabolic effect.
- Optimum production
- Enhanced convalescence
- Healthy digestion
- Early recovery from skin diseases & Feather loss



For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com Customer care : +91 7310 605 527

er care : +91 7310 605 527 9675 363 838



Folimust

Iron tonic with chelated minerals

Compositions: (Each 10 ml Contains)

Ferric ammonium citrate 1450 mg (eg. to 300 mg of Fe) Chelated copper glycinate 500 mg (eq. to 100 mg of copper) Cobalt 1.5 mg Cholecalciferol 5000 IU Nicotinamide 75 mg Biotin 200 mcg Folic acid 2 ma 150 mg Cyacobalamin Excipients QS

Usage & Administration:

Chicks : 5-10 ml / 100 birds daily
Growers : 10 ml / 100 birds daily
Layers / Broilers : 20 / 100 birds daily
Breeders : 30 ml / 100 birds daily
Large Animals : 30- 50 ml daily

Or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature

Reaction free


Accurate formulation

Iron Is an Essential Component of Ruminant Body. Young Animal on Milk Diet May Suffers from Iron Deficiency. Continuous Loss of Blood May Leads to Iron Deficiency. Sufficient Iron Is Essential for Calves as It Is Required for Various Physical Processes Especially in the production of "Hb" in Muscle where it binds to Oxygen and Transport it to Body. Iron has also the role in the production of antibiotics in the body.

Ferrorise is Generally Recommended in Anaemia, Stunned Growth, Rickets, Osteomalacia, Milk Fever and in Poultry to Egg Production.

Decreases Rbc and Hb Leading to Loss of Appetite, Weight Loss, Anaemia, Oedema, Abortion, etc. So an Iron Deficiency Seen Due to Loss of Blood in Surra and **Ferrorise** is Found to Be Highly Effective Here to Recover Hb Levels.

Haemorrhagic Anemia is Common and Leads to Decreased Hb Levels in Body So **Ferrorise** Is Best Solution to Recover Hb Levels.



Advantages:

- Helps in the formation of Hemoglobin.
- Purify the blood and increase the blood circulation
- Minimize the incidence of infections by stimulating the immune system.
- Stimulate humoral and cell mediated immunity and control viral injury.

9675 363 838

- Improve F.C.R., increases egg production & Better weight gain.
- Reduce incidence of mortality.
- Control immune suppression.

For Trade Enquiry Please Contact : www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com Customer care : +91 7310 605 527



Manufactured By :

VB Clear

Liquid

Clear preparation of

Calcium. Vitamins and Amino acids

Composition:

Each 100 ml. contains Calcium lactate 4800 mg. Calcium Gluconate 4500 mg. Vitamin B₁₉ 100 mcg. Vitamin D₃ 9000 I.U. Lysine hydrolysate 100 mg. DL- methionine 100 mg. Choline chloride 100 mg.

Usage Instructions: Each 100 birds

Chicks : 5-10 ml. Broilers & Growers: 15-20 ml. Laver : 25 ml. or as directed by the veterinarian

Poultry Feed Supplement

Not for Medicinal / Human use

Presentation: 1litre & 5 litre

Highly effective in nature


Reaction free

Accurate formulation

Calcium supplements for chickens can help you avoid shell quality issues in your flock, and it's easy to feed. Farmers have been adding calcium to the diet of layers for generations to improve shell quality, and consequently, we've learned a few things about it.

Calcium is an essential nutrient in the diet of poultry. Not only do chickens need to build and support healthy bones, but they also need enough free calcium in their diet to produce a hard eggshell.

Not all shells are created equal. An ideal shell is relatively smooth, evenly colored, and maintains a consistent shell thickness. Sometimes you get bumps and deposits on your shells, which is no big deal. If, however, you see dark spots that crack easier than the rest of the shell, you have thin spots. Additionally, if your eggs are breaking too easily, you may be experiencing thin shells.





Vitamin D3

Hydroxylated metabolites & glycosides of vitamin D Improve growth, production & performance

Maintain homeostasis of Ca:P

Lead to synthesis of calcium binding protein which increases the calcium uptake in the intestine

Improves egg quality and quantity

Stimulates transcription of the extracellular matrix phosphoprotein Osteopontin (OPN) Helps to increse the shell thickness of eggs Enriches vitamin d content of egg yolk

Sleletal development in the priliminary stage of life Helps in development and maintenance of bones


heak & feathers Helps overcoming lamness, bone developmental disorder and bone breakage.

Natural absorpance enhancers

Improve absorption efficiency of vitamin D

Advantages:

- · Provides more bio-availablity of calcium during hypocalcaemia
- Increases egg quality and thickness of shell
- Useful in leg weakness & strong the bones
- Curing from osteoporosis and Osteomalacia
- Prevents general weakness & debility



For Trade Enquiry Please Contact: www.vandanabiotech.com E-mail: info@vandanabiotech.com vandanabiotech21@gmail.com

Customer care: +91 7310 605 527 9675 363 838



Manufactured By: